



Data HEATPANELS

Version 01/2018

„Basic Heat“

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat- able m ²	Plug/ Cable	Connection
BHPBH50100500	4260409694712	white smooth	50 x 100 x 1,5cm	500 Watt	IP54	10 kg	ca. 90°C	5-8	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz

„Classic Heat“

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat- able m ²	Plug/ Cable	Connection
BHPCLH4060300	4260409694330	white structure	60 x 40 x 1,6cm	300 Watt	IP20	4 kg	ca. 95°C	5-8	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPCLH6262400	4260409694347	white structure	62 x 62 x 1,6cm	400 Watt	IP20	4 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPCLH6060400	4260409694354	white structure	60 x 60 x 1,6cm	400 Watt	IP20	4 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPCLH6090600	4260409694361	white structure	60 x 90 x 1,6cm	600 Watt	IP20	8 kg	ca. 95°C	11-13	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPCLH60120900	4260409694378	white structure	60 x 120 x 1,6cm	900 Watt	IP20	9 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz



„Glass Heat Frame“ with frame Alu Silver 10mm

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat- able m ²	Plug/ Cable	Connection
BHPGH6070400w	4260409690011	Glass white	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGH6090500w	4260051489193	Glass white	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGH60120700w	4260051489780	Glass white	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGH60140900w	4260409690066	Glass white	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGH6070400sw	4260409690097	Glass black	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	9-10	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGH6090500sw	4260051489797	Glass black	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGH60120700sw	4260051489803	Glass black	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGH60140900sw	4260409690141	Glass black	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz



„Glass Heat Frameless“

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat-able m ²	Plug/ Cable	Connection
BHPGHF6070400w	4260409690165	Glass white	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHF6090500w	4260051488974	Glass white	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHF60120700w	4260051488981	Glass white	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHF60140900w	4260409690219	Glass white	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHF6070400sw	4260409690226	Glass black	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHF6090500sw	4260051488998	Glass black	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHF60120700sw	4260051489001	Glass black	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHF60140900sw	4260409690271	Glass black	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz

**„Glass Heat RAL Frame“ mit Rahmen Alu Silber
10mm**

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat-able m ²	Plug/ Cable	Connection
BHPGHR6070400	4260409690288	Glass RAL	60 x 70 x	400	IP44	8 kg	ca. 95°C	7-9	Schuko plug/	230/240V ~



			2,5cm	Watt					1,9m Cable	50/60 Hz
BHPGHR6090500	4260409690295	Glass RAL	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHR60120700	4260409690318	Glass RAL	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHR60140900	4260409690325	Glass RAL	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz

„Glass Heat RAL Frameless“

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat- able m ²	Plug/ Cable	Stoman- schluss
BHPGHRF6070400	4260409690332	Glass RAL	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHRF6090500	4260409690349	Glass RAL	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHRF60120700	4260409690363	Glass RAL	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPGHRF60140900	4260409690370	Glass RAL	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz



„Image Glasss Heat Frame“ with frame Alu Silver 10mm

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat- able m ²	Plug/ Cable	Connection
BHPIGH6070400	4260409690523	Glass Picture	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPIGH6090500	4260051489810	Glass Picture	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPIGH60120700	4260051489827	Glass Picture	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPIGH60140500	4260409690547	Glass Picture	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz

„Image Glasss Heat Frameless“

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat- able m ²	Plug/ Cable	Connection
BHPIGHF6070400	4260409690554	Glass Picture	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPIGHF6090500	4260409690561	Glass Picture	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPIGHF60120700	4260409690585	Glass Picture	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPIGHF60140500	4260409690592	Glass Picture	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz



„Mirror Heat Frame“ with frame Alu Silver 10mm

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat-able m ²	Plug/ Cable	Connection
BHPMH4060210	4260409690387	Mirror	40 x 60 x 2,5cm	210 Watt	IP44	5 kg	ca. 95°C	2-3	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPMH6070400	4260409690394	Mirror	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPMH6090500	4260051489902	Mirror	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPMH60120700	4260051489919	Mirror	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPMH60140900	4260409690448	Mirror	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPMH802001400	4260409690455	Mirror	80 x 200 x 2,5cm	1400 Watt	IP44	25 kg	ca. 95°C	27-29	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz

„Mirror Heat Frameless“

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg	Surface temperature	Heat-able m ²	Plug/ Cable	Connection
BHPMHF6070400	4260409690462	Mirror	60 x 70 x 2,5cm	400 Watt	IP44	8 kg	ca. 95°C	7-9	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPMHF6090500	4260051489872	Mirror	60 x 90 x 2,5cm	500 Watt	IP44	11 kg	ca. 95°C	9-11	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
BHPMHF60120700	4260051489889	Mirror	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	ca. 95°C	13-15	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz



BHPMHF60140900	4260409690516	Mirror	60 x 140 x 2,5cm	900 Watt	IP44	16 kg	ca. 95°C	17-19	Schuko plug/ 1,9m Cable	230/240V ~ 50/60 Hz
----------------	---------------	--------	------------------	----------	------	-------	----------	-------	----------------------------	------------------------

Desired motif (Individual Image)

Code	EAN	Material/ Color	WxHxD (cm)	Power	IP	kg
BHPWM	4260051489933	Wunschmotiv				

Add on (Accessories)

Code	EAN	
BPIRF	4260409694767	Timer radio transmitter SET with motion detector
BHCI868r1F	4260409694750	Window contact INSAT 868-r1F
BHCI868	4260409690646	Radio control thermostat (Wireless Control) INSTAT-868 r Digital
BHCI868r1	4260409690653	Radio control thermostat (Wireless Control) INSTAT-868 r-1 with analogue temperature setting
BHCI868a1A	4260409690660	Receiver / switching unit INSTAT-868-a1A
BHCI868UP	4260409690677	Receiver / switching unit INSTAT-868-UP
BHCI868a1S	4260409690684	Receiver / switching unit INSTAT-868-a1S
BHCRTR-E 3311	4260409690943	Schuko socket thermostat, 5-30°C, 16A, IP30, 1,8m Cable
BHCRTR-E 9164	4260409690950	Temperatur regulator for flush mounting, 5-30°C
BHCRTR-E 3521	4260409690967	Two-wire thermostat, 5-30°C, 16A, IP30
BHCINSTAT+3R	4260409690998	Radio-controlled thermostat, 7-32°C, 16A



BHCFIT3R	4260409690981	Digital socket thermostat, 5-30°C, 10A
BHCITCTI	4260409691001	Socket thermostat with thermo-timer
BHPFG	4260409690790	T stand especially designed for the glass- and mirror-heater-models (2 pieces)