



INFRARED-SHORT WAVE (IRA)





RELAX GLASS IP65

Infrared short-wave heater with tinted ceramic-glass SCHOTT NEXTREMA®







Impressive instant heat with infrared-short-wave



Power range from 1500, 1800, 2200 and 3000 watt



Available without dimmer or with integrated dimmer (33/66/100 %) including remote control



High quality, light reducing ceramic-glass SCHOTT NEXTREMA®



Waterproof, IP Protection Class IP65



Use: outdoor areas



ON/OFF switch



Color selection for case and glass



Power connection 230 Volt with C16A slow blow fuse







GLASS SCREEN



STIONAL REMOTE OF

Brackets included







1500/1800/2200 watts, 90 x 17 x 8 cm (w x h x d)

RELAX GLASS io IP65

SMART HOME Ready infrared heaters with io-homecontrol®







Available with 2200 and 3000 watts



Easy integration into io-homecontrol® smart home systems



Control via Somfy remote, available separately



Impressive instant heat with infrared-short-wave



High quality, light reducing ceramic-glass SCHOTT NEXTREMA®



Waterproof, IP Protection Class IP65



ON/OFF switch

Use: outdoor areas



Color selection for case and glass



Power connection 230 Volt with C16A slow blow fuse



2 x 1500 watts, 128,6 x 17 x 15,5 cm (w x h x d)



CASE COLORS





GLASS SCREEN





2200 watts, 90 x 17 x 15,5 cm (w x h x d)

RELAX GLASS COMPACT IP65

Infrared WiFi heater with ceramic-glass SCHOTT NEXTREMA®







Available with 2000 watt



Control via Wifi and App or remote control (included)



 $Impressive\ instant\ heat\ with\ infrared-short-wave$



Compact size for wall and ceiling mounting, brackets included



High quality ceramic-glass SCHOTT NEXTREMA®



Waterproof, IP Protection Class IP65



Use: outdoor areas



Wall and ceiling mounting




ON/OFF switch



CASE COLORS

Power connection 230 Volt with C16A slow blow fuse

GLASS SCREEN



2000 watts, 74,2 x 11 x 13,9 cm (w x h x d)

ACCESSORIES

RELAX GLASS FRAME

Flush-mounted heater installation



Mounting frame, suitable for RELAX GLASS heaters with 1500 and 1800 watts



Rustproof



Available in black or silver color









RELAX GLASS FRAME for flush-mounted ceiling installation!

RELAX



RELAX GLASS STAND

Free standing heater installation



Stainless steel pole and base



For attaching up to two heaters:

- RELAX GLASS heaters, except of RELAX GLASS 3000W
- or RELAX GLASS COMPACT heaters (with additional RELAX COMPACT ADAPTER)
- Dimensions: Diameter foot plate: 500mm. Diameter rod: 38mm. Total height: 210cm.





STAND BRELGSS-3 stainless steel, for RELAX GLASS heaters

RELAX GLASS CONNECTOR

Flush installation of two and more RELAX GLASS heaters

We offer several options to connect RELAX GLASS or RELAX GLASS io heaters with clamps and modules.





RELAX GLASS DISTANCE
Only required for connection sides with switch



RELAX GLASS CONNECTOR
Only required for connection sides with no switch.

CASE COLORS





GLASS SCREEN



SPARE PARTS

We stock a wide range of spare parts for all models from the RELAX GLASS series:

- · RELAX GLASS spare lamps
- · RELAX GLASS spare brackets
- · RELAX GLASS spare glass
- · RELAX GLASS spare remote controls